

**CAPTURE® SPOT ELIMINATOR**

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
Date of first issue: 2014/10/23

---

**SECTION 1. IDENTIFICATION**

Product name : CAPTURE® SPOT ELIMINATOR  
000000003000005246

Product code : 000000003000005246

**Manufacturer or supplier's details**

Company name of supplier : Milliken & Company

Address : 920 Milliken Rd  
Spartanburg SC 29303

Telephone : +1-864-503-1940 (M-F, 8-5 EST)

E-mail address : sds@milliken.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Cleansing agents, alkaline.

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Eye irritation : Category 2A

Acute aquatic toxicity : Category 3

**GHS Label element**

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.  
H402 Harmful to aquatic life.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste dis-

---

**CAPTURE® SPOT ELIMINATOR**

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
 Date of first issue: 2014/10/23

posal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Preparation

Chemical nature : Preparation

**Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
Isopropanol	67-63-0	>= 10 - < 20
2-Butoxyethanol	111-76-2	>= 5 - < 10
Propane	74-98-6	>= 1 - < 5
Butane	106-97-8	>= 1 - < 5
Sodium nitrite	7632-00-0	>= 0.1 - < 1
Ammonium Hydroxide	1336-21-6	>= 0.1 - < 1

**SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : None known.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

**CAPTURE® SPOT ELIMINATOR**

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
 Date of first issue: 2014/10/23

for firefighters

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
 Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.  
 No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA P0
		STEL	500 ppm 1,225 mg/m <sup>3</sup>	OSHA P0
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 240 mg/m <sup>3</sup>	OSHA Z-1
		TWA	25 ppm 120 mg/m <sup>3</sup>	OSHA P0
Propane	74-98-6	TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA Z-1

## SAFETY DATA SHEET


**CAPTURE® SPOT ELIMINATOR**

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
Date of first issue: 2014/10/23

		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA P0
Butane	106-97-8	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	800 ppm 1,900 mg/m <sup>3</sup>	OSHA P0

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Isopropanol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI
2-Butoxyethanol	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Colour : colourless

Odour : mild

pH : 8.5 - 9.5

Flash point : does not flash

Flammability (solid, gas) : Not classified as a flammability hazard

Vapour pressure : 65 - 75 hPa

Density : 0.96 - 0.98 g/cm<sup>3</sup>

# SAFETY DATA SHEET



## CAPTURE® SPOT ELIMINATOR

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
Date of first issue: 2014/10/23

---

Solubility(ies)  
Water solubility : soluble

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No hazards to be specially mentioned.  
Conditions to avoid : no data available

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 Oral (rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No adverse effect has been observed in acute toxicity tests.

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### Isopropanol:

Acute oral toxicity : LD50 (rat): 5,045 mg/kg

Acute inhalation toxicity : LC50 (rat): 16000 ppm  
Exposure time: 8 h

Acute dermal toxicity : LD50 (rabbit): 12,800 mg/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Product:

Species: rabbit  
Assessment: No skin irritation

**CAPTURE® SPOT ELIMINATOR**

Version	Revision Date:	SDS Number:	Date of last issue: 2014/10/23
1.1	2015/06/08	00000003000005246	Date of first issue: 2014/10/23

---

Method: OECD Test Guideline 404  
Result: No skin irritation

**Components:****Isopropanol:**

Species: rabbit  
Assessment: Irritating to skin.  
Result: Mild skin irritation

**Serious eye damage/eye irritation**

Causes eye irritation.

**Components:****Isopropanol:**

Species: rabbit  
Result: Irritating to eyes.  
Exposure time: 24 h  
Assessment: Irritating to eyes.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.  
Respiratory sensitisation: Not classified based on available information.

**Product:**

Remarks: no data available

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

<b>IARC</b>	Group 3: Not classifiable as to its carcinogenicity to humans
	Isopropanol 67-63-0
	2-Butoxyethanol 111-76-2
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**CAPTURE® SPOT ELIMINATOR**

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
Date of first issue: 2014/10/23

---

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks: no data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Isopropanol:**Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 hToxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 5,102 mg/l  
aquatic invertebrates Exposure time: 24 hEC50 (Daphnia magna (Water flea)): 6,851 mg/l  
Exposure time: 24 h  
Test Type: ImmobilizationToxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 2,000  
mg/l  
Exposure time: 72 h**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****Isopropanol:**Partition coefficient: n- : log Pow: 0.05  
octanol/water**2-Butoxyethanol:**Partition coefficient: n- : log Pow: 0.83  
octanol/water**Propane:**Partition coefficient: n- : log Pow: 2.36  
octanol/water**Butane:**Partition coefficient: n- : log Pow: 2.89  
octanol/water**Mobility in soil**

No data available

**CAPTURE® SPOT ELIMINATOR**

Version	Revision Date:	SDS Number:	Date of last issue: 2014/10/23
1.1	2015/06/08	000000003000005246	Date of first issue: 2014/10/23

---

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : There is no data available for this product.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulation****IATA-DGR**

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, non-flammable  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : Non-flammable, non-toxic gas  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

**IMDG-Code**

UN number : UN 1950  
Proper shipping name : AEROSOLS  
  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
EmS Code : F-D, S-U  
Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**



**CAPTURE® SPOT ELIMINATOR**

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
 Date of first issue: 2014/10/23

**49 CFR**

UN/ID/NA number : UN 1950  
 Proper shipping name : AEROSOLS, , NON-FLAMMABLE  
 Class : 2.2  
 Packing group : Not assigned by regulation  
 Labels : NON-FLAMMABLE GAS  
 ERG Code : 126  
 Marine pollutant : no

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium nitrite	7632-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

Propane	74-98-6	2.5 %
Butane	106-97-8	2.5 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Isopropanol	67-63-0	11 %
2-Butoxyethanol	111-76-2	8 %
Diacetone alcohol	123-42-2	0.9 %

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium nitrite	7632-00-0	0.6 %
Ammonium Hydroxide	1336-21-6	0.18 %

# SAFETY DATA SHEET



## CAPTURE® SPOT ELIMINATOR

Version 1.1      Revision Date: 2015/06/08      SDS Number: 000000003000005246      Date of last issue: 2014/10/23  
Date of first issue: 2014/10/23

---

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium nitrite	7632-00-0	0.6 %
Ammonium Hydroxide	1336-21-6	0.18 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date : 2015/06/08

Please Note: As each customer's use of our product may be different, information we provide, including without limitation, any regulatory information, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at [www.milliken.com/terms](http://www.milliken.com/terms) (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing.

US / EN