Milliken.

1.5 2010/11/15 00000003000052162 Date of first issue. 2014/10/25	Version 1.3	Revision Date: 2018/11/13	SDS Number: 000000003000052162	Date of last issue: 2015/06/08 Date of first issue: 2014/10/23
--	----------------	---------------------------	-----------------------------------	---

SECTION 1. IDENTIFICATION

Product name Product code	:	CAPTURE® FLOOR CLEANER 32OZ 12 PER CASE 00000003000052162
Manufacturer or supplier's de	eta	ils
Company name of supplier Address		Milliken & Company 920 Milliken Rd Spartanburg SC 29303
Telephone E-mail address Emergency telephone number	:	+1-864-503-1940 (M-F, 8-5 EST) sds@milliken.com In case of emergency call CHEMTREC US: 1-800-424-9300, CHEMTREC WORLD: 1-703-527-3887.

Recommended use of the chemical and restrictions on use

Recommended use : Detergent

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-butoxyethanol	111-76-2	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended.
If inhaled	:	advice.
In case of skin contact	:	If symptoms persist, call a physician. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	

Milliken.

Version 1.3	Revision Date: 2018/11/13		0S Number: 0000003000052162	Date of last issue: 2015/06/08 Date of first issue: 2014/10/23
lf sw	allowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	
	t important symptoms effects, both acute and yed	:	None known.	
SECTION	1 5. FIREFIGHTING MEA	SU	RES	
Unsı medi	uitable extinguishing ia	:	High volume water jet	
Furth	ner information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Wear self-contained breathing apparatus for firefighting if necessary.	
	cial protective equipment refighters	:		
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
prote	onal precautions, ective equipment and rgency procedures	:	Use personal protective	equipment.
Envi	ronmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.	
	nods and materials for ainment and cleaning up	:		
SECTION	7. HANDLING AND ST	OR/	AGE	
	ce on protection against and explosion	:	Normal measures for pre	eventive fire protection.
Advi	ce on safe handling	:	application area.	
Cond	ditions for safe storage	:	Keep container tightly clo place. Electrical installations / w	osed in a dry and well-ventilated vorking materials must comply with
	ner information on age stability	:	the technological safety s No decomposition if store	standards. ed and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Milliken.

Versior 1.3	n Revision Date: 2018/11/13	SDS Number: 0000000030000		Date of last issue: 201 Date of first issue: 201	
Co	omponents	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-	butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
			TWA	5 ppm 24 mg/m3	NIOSH REL
			TWA	50 ppm 240 mg/m3	OSHA Z-1
			TWA	25 ppm 120 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
2-butoxyethanol	111-76-2	Butoxyaceti c acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI

Appropriate engineering : No data available

controls

Personal protective equipment

Hand protection

Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold pH	:	liquid colourless like soap No data available 6 - 8
Melting point/freezing point Boiling point/boiling range Flash point	:	No data available No data available > 212 °F / > 100 °C

Milliken.

Version	Revision Date:	SDS Number:	Date of last issue: 2015/06/08
1.3	2018/11/13	00000003000052162	Date of first issue: 2014/10/23

Method: Cleveland open cup

Flammability (solid, gas):No data availableFlammability (liquids):No data availableSelf-ignition:No data availableUpper explosion limit / Upper:No data availableflammability limit:No data available
Lower explosion limit / Lower : No data available flammability limit
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available
Density : No data available
Water solubility : No data available
Solubility in other solvents : No data available
Partition coefficient: n- : No data available
octanol/water
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

5		No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	•	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Hazardous decomposition product	ts	
Hazardous decomposition	:	No data available

products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Milliken.

rsion	Revision Date: 2018/11/13	SDS Number: 00000003000052162	Date of last issue: 2015/06/08 Date of first issue: 2014/10/23	
Skin d	corrosion/irritation			
Not cla	assified based on av	ailable information.		
<u>Produ</u>	<u>ict:</u>			
Result	t	: Mild skin irritation		
Rema	rks	: May cause skin irritat	ion and/or dermatitis.	
	u s eye damage/eye es eye irritation.	irritation		
<u>Produ</u>	<u>ict:</u>			
Rema	rks	: Vapours may cause i and the skin.	rritation to the eyes, respiratory system	
Respi	ratory or skin sens	itisation		
•••••	sensitisation assified based on ava	ailable information.		
-	ratory sensitisation assified based on ava			
Germ	cell mutagenicity			
Not cla	assified based on av	ailable information.		
Carci	nogenicity			
Not cla IARC	assified based on av	ailable information.		
OSHA		nent of this product present a s list of regulated carcinogens	t levels greater than or equal to 0.1% is s.	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
-	oductive toxicity	ailable information		
Not classified based on available information. STOT - single exposure				
Not classified based on available information.				
STOT - repeated exposure				
Not classified based on available information.				
-	ation toxicity assified based on ava	ailable information.		
Furth	er information			
Produ	ict:			

Milliken.

/ersion .3	Revision Date: 2018/11/13	SDS Number: 000000003000052162	Date of last issue: 2015/06/08 Date of first issue: 2014/10/23
SECTION	12. ECOLOGICAL IN	FORMATION	
	oxicity		
No da	ata available		
	i stence and degradab ata available	ility	
Bioa	ccumulative potential		
Com	ponents:		
Partit	oxyethanol: ion coefficient: n-	: log Pow: 0.83	
octan	ol/water		
	lity in soil		
No da	ata available		
Othe	r adverse effects		
Prod	uct:		
Ozon	e-Depletion Potential	Protection of Stratosph Substances Remarks: This product manufactured with a Cl	otection of Environment; Part 82 eric Ozone - CAA Section 602 Class I neither contains, nor was lass I or Class II ODS as defined by th tion 602 (40 CFR 82, Subpt. A, App.A
	ional ecological nation	: No data available	

Disposal methods

Biopecal methodo	
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Send to a licensed waste management company. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

Milliken.

Version	Revision Date:	SDS Number:	Date of last issue: 2015/06/08
1.3	2018/11/13	00000003000052162	Date of first issue: 2014/10/23

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

•		U
Components	CAS-No.	Component TPQ (lbs)
SARA 311/312 Hazards	: Acute Health Hazar	d
SARA 313	known CAS number	not contain any chemical components with rs that exceed the threshold (De Minimis) ablished by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

2-butoxyethanol	111-76-2	4 %
2-phenoxyethanol	122-99-6	0.9 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Maine Chemicals of High Concern

This product does not contain any chemicals that are listed as Maine Chemicals of High Concern.

Milliken.

Version	Revision Date:	SDS Number:	Date of last issue: 2015/06/08
1.3	2018/11/13	00000003000052162	Date of first issue: 2014/10/23

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Additional information is available by request. (regulatory@milliken.com)

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
		1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
ACGIH / TWA		8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-

Milliken.

Version	Revision Date:	SDS Number:	Date of last issue: 2015/06/08
1.3	2018/11/13	00000003000052162	Date of first issue: 2014/10/23

: 2018/11/13

Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

Please Note: As each customer's use of our product may be different, information we provide, including without limitation, any regulatory information, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at www.milliken.com/terms (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing.

US / EN